## Amendments to the Claims:

Please amend Claim 1 and 16 as follows. Please cancel Claims 6, 14, and 15 without

prejudice. This listing of claims will replace all prior versions, and listings, of claims in the

application:

Listing of Claims:

1. (Currently amended) A composite lined closure for use with a container having a container neck

crown, said composite lined closure comprising:

a top having a periphery, and an underside, a central well, and a surface closing said well;

a skirt depending downward from said periphery, said skirt including an inner surface and a

locking bead radially extending inward from said skirt; and

a resilient seal liner extending along said underside, down said inner surface and to said locking

bead, said liner having an arcuate inner surface, a lower portion of said arcuate inner surface

disposed extending radially inward allowing said arcuate surface to extend inwardly below said

container neck crown when said closure is applied to said container;

wherein said surface closing said well is a membrane monolithically formed with said liner and

wherein one or more liner legs are provided to allow material forming the liner to run from the

liner to the membrane during the molding process.

3

Serial No. 10/589,096

Response dated November 19, 2010

Office Action dated August 23, 2010

2. (Original) A closure according to claim 1, wherein said liner is formed of an elastomeric

material.

3. (Original) A closure according to claim 2, wherein said liner is injection molded on said inner

surface of said skirt.

4. (Previously presented) A closure according to claim 2, wherein said closure is injection molded

low-density polyethylene.

5. (Original) A closure according to claim 4, wherein said liner is injection molded on said inner

surface of said skirt.

6. (Cancelled)

7. (Previously presented) A closure according to claim 1, wherein said arcuate inner surface is

shaped to conform with the crown of a five-gallon water bottle.

8. (Previously presented) A closure according to claim 1, wherein said skirt further includes a

plurality of gussets that extend at an angle from a lower portion of said skirt upwardly into an

adjacent bottom portion of said locking bead.

9. (Original) A closure according to claim 1, wherein said skirt includes a bottom edge, said

closure further comprising a tear tab extending downward from said bottom edge and a pair of tear

lines extending from said bottom edge, along said skirt and above said locking bead.

10. (Original) A closure according to claim 9, wherein said tear lines begin adjacent said tear tab,

extend upwardly and diverge from one another below said locking bead.

4

Serial No. 10/589,096

Response dated November 19, 2010

Office Action dated August 23, 2010

11. (Previously presented) A closure according to claim 10, wherein said tear lines form a tear strip

therebetween, a lower portion of said tear strip being substantially the width of said tear tab while

an upper portion of said tear strip is greater than twice the width of said tear tab.

12. (Original) A closure according to claim 11, wherein the width of said upper portion is

approximately three times the width of said tear tab.

13. (Previously presented) A closure according to claim I, wherein said liner is formed of a

thermoplastic elastomer.

14. (Cancelled)

15. (Cancelled)

16. (Currently amended) A closure according to claim 14 1, wherein said membrane forms an

inverted cone.

17. (Previously presented) A closure according to claim 16, wherein said inverted cone includes

one or more radially extending fingers extending from a lower edge of the well and along or

through said membrane.

5